



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Table of temperature and rainfall, week ended January 27, 1902.

[Received from Department of Agriculture, Weather Bureau.]

Locality.	Temperature in degrees Fahrenheit.			Rainfall in inches and hun- dredths.		
	Normal.	<i>a</i> Excess.	<i>a</i> Defic'nc'y.	Normal.	Excess.	Deficiency.
Atlantic Coast:						
Eastport, Me.	20	7		.91	.25	
Portland, Me.	22	7		.84	1.14	
Northfield, Vt.	14	8		.65	.81	
Boston, Mass.	26	8		.95		.25
New Haven, Conn.	27	7		.98	.47	
Albany, N. Y.	23	7		.69		.18
New York, N. Y.	30	8		.93	.27	
Harrisburg, Pa.	31	3		.84	1.79	
Philadelphia, Pa.	32	7		.77	.84	
New Brunswick, N. J.	29	7		.90	1.05	
Atlantic City, N. J.	32	4		.84	.10	
Baltimore, Md.	34	2		.77	1.48	
Washington, D. C.	33	4		.82	1.24	
Lynchburg, Va.	37		1	.96	1.58	
Cape Henry, Va.	41		1	.97	.27	
Norfolk, Va.	41	0		.91	.13	
Charlotte, N. C.	42	0	1	1.19		.28
Raleigh, N. C.	41	0		.85	.76	
Kittyhawk, N. C.	43	0		1.18	.67	
Hatteras, N. C.	46			1.31		
Wilmington, N. C.	48	0		.91	.08	
Columbia, S. C.	45			.88	.40	
Charleston, S. C.	51		1	.91		.60
Augusta, Ga.	48	0		1.05		.05
Savannah, Ga.	52	1		.77		.61
Jacksonville, Fla.	56		1	.77		.75
Jupiter, Fla.	66		3	.77		.77
Key West, Fla.	70		5	.49		.49
Gulf States:						
Atlanta, Ga.	43		2	1.36		.64
Tampa, Fla.	59		1	.56		.52
Pensacola, Fla.	52	2		1.09		1.00
Mobile, Ala.	51	1		1.13		.98
Montgomery, Ala.	49		3	1.27		.76
Meridian, Miss.	48	1		1.30		.19
Vicksburg, Miss.	47	1		1.26		.38
New Orleans, La.	54	3		1.19		1.17
Shreveport, La.	47		1	1.04		.57
Fort Smith, Ark.	37		3	.56	.12	
Little Rock, Ark.	41		5	1.17	1.61	
Palestine, Tex.	46		1	.97		.55
Galveston, Tex.	53	0		.84		.72
San Antonio, Tex.	52	1		.40		.39
Corpus Christi, Tex.	54	5		.76		.74
Ohio Valley and Tennessee:						
Memphis, Tenn.	41		2	1.26	2.15	
Nashville, Tenn.	39		1	1.24	1.04	
Chattanooga, Tenn.	42		2	1.40	.33	
Knoxville, Tenn.	39		2	1.31	.59	
Lexington, Ky.	32	1		.90	1.57	
Louisville, Ky.	36		1	.97	1.83	
Indianapolis, Ind.	30		1	.68		.19
Cincinnati, Ohio	33		1	.78	.61	
Columbus, Ohio	28	2		.79	.37	
Parkersburg, W. Va.	32	2		.70	.99	
Pittsburg, Pa.	31	4		.70	.27	
Lake Region:						
Oswego, N. Y.	23	6		.63	1.09	
Rochester, N. Y.	23	4		.71	.50	
Buffalo, N. Y.	23	5		.66	1.70	
Erie, Pa.	27	2		.77	.52	
Cleveland, Ohio	26	4		.57		.01
Sandusky, Ohio	27	3		.49		.19
Toledo, Ohio	26	2		.48		.08
Detroit, Mich.	24	4		.42	.03	
Lansing, Mich.	22	5		.42		.20
Port Huron, Mich.	21	5		.49		.27
Alpena, Mich.	17	7		.56		.41
Sault Ste. Marie, Mich.	15	4		.39		.16
Marquette, Mich.	16	5		.42	.14	
Escanaba, Mich.	14	6		.35		.03
Green Bay, Wis.	14	6		.56		.24
Grand Haven, Mich.	24	3		.56		.33
Milwaukee, Wis.	19	4		.49		.16
Chicago, Ill.	24	0		.49		.08
Duluth, Minn.	10	4		.21	.26	

a The figures in this column represent the average daily departure.

Table of temperature and rainfall, week ended January 27, 1902.—Cont'd.

Locality.	Temperature in degrees Fahrenheit.			Rainfall in inches and hun- dredths.		
	Normal.	Excess.	Deficiency.	Normal.	Excess.	Deficiency.
Upper Mississippi Valley:						
St. Paul, Minn.	11	221	.16
La Crosse, Wis.	16	028	.30
Dubuque, Iowa	18	035	.31
Davenport, Iowa	21	3	.35	.14
Des Moines, Iowa	19	4	.28	.46
Keokuk, Iowa	24	2	.3915
Springfield, Ill.	25	2	.52	.24
Cairo, Ill.	36	3	.91	.70
St. Louis, Mo.	32	4	.51	.28
Missouri Valley:						
Columbia, Mo.	30	5	.42	.47
Springfield, Mo.	32	6	.57	.28
Kansas City, Mo.	27	4	.28	.35
Topeka, Kans.	26	3	.28	.72
Wichita, Kans.	31	7	.2819
Concordia, Kans.	24	6	.21	.32
Lincoln, Nebr.	1721	.59
Omaha, Nebr.	20	3	.14	.34
Sioux City, Iowa	16	2	.14	.58
Yankton, S. Dak.	1614
Valentine, Nebr.	21	14	.14	.20
Huron, S. Dak.	7	213	.16
Pierre, S. Dak.	14	2	.07	.29
Moorhead, Minn.	2	521	.09
Bismarck, N. Dak.	6	3	.1208
Williston, N. Dak.	6	5	.1410
Rocky Mountain and Plateau Region:						
Havre, Mont.	11	10	.2106
Helena, Mont.	20	16	.2927
Miles City, Mont.	11	6	.1412
Rapid City, S. Dak.	23	17	.08	.07
Spokane, Wash.	27	12	.5651
Walla Walla, Wash.	32	14	.4923
Baker City, Oreg.	24	9	.4029
Winnemucca, Nev.	29	9	.2115
Pocatello, Idaho	18	3	.4282
Boise, Idaho	28	8	.6025
Salt Lake City, Utah	29	4	.2811
Lander, Wyo.	20	18	.1901
Cheyenne, Wyo.	26	18	.09	.12
North Platte, Nebr.	23	10	.07	.17
Denver, Colo.	30	16	.1201
Pueblo, Colo.	29	12	.07	.05
Dodge City, Kans.	29	6	.1004
Oklahoma City, Okla.	36	6	.3718
Amarillo, Tex.	32	5	.2019
Abilene, Tex.	43	1	.2121
Santa Fe, N. Mex.	28	1	.14	.06
El Paso, Tex.	45	10909
Phoenix, Ariz.	50	2	.14	.00
Yuma, Ariz.	53	2	.1010
Pacific Coast:						
Seattle, Wash.	41	10	.9802
Tacoma, Wash.	37	7	1.4073
Portland, Oreg.	38	8	1.56	1.17
Roseburg, Oreg.	41	6	1.3491
Eureka, Cal.	46	3	1.8565
Red Bluff, Cal.	46	6	.99	.09
Carson City, Nev.	22	8	.5436
Sacramento, Cal.	47	4	.8426
San Francisco, Cal.	51	4	1.0523
Fresno, Cal.	47	3	.28	.04
San Luis Obispo, Cal.	51	4	1.05	.07
Los Angeles, Cal.	54	4	.67	.76
San Diego, Cal.	54	1	.49	.44

a The figures in this column represent the average daily departure.